Common name Maple, Purple Blow	Scientific name Acer truncatum	Small Tree: <30' ht., 4-6' wide tree lawn, 25' spacing	Light Conditions: Full Sun = F Partial Sun = P Shade tolerant = Sh	Soil Moisture: Good Drainage = D Moist = M Frequently Wet = W D, M	Growth Rate: Slow = S Moderate = M Fast = F S	Fruit or Nuts	Showy Flowers	● Fall Color	Evergreen	Native to SC	Notes Use instead of Red Maple	Cultivars Many cultivars
Red Buckeye	Aesculus pavia	•	P	D, M, W	S	•	•			•	Suckering shrub or small multi-stemmed tree, All plant parts poisonous to people, pets, livestock	
Serviceberry	Amelanchier arborea	•	Р	M, W	S	•	•	•		•	Suckers from trunk base. Prone to diseases in the rose family.	Amelanchier x grandiflora cultivars are more disease resistant
Jelly Palm (Pindo)	Butia capitata	•	F	D, M	S	•	•		•		3' to 5' or larger leaves need removing when they die back	
Hornbeam, American	Carpinus caroliniana	•	P, Sh	D, M, W	S					•	Do not plant in sidewalk cutouts, narrow R/W, or parking lots	
Redbud	Cercis canadensis	•	Р	D, M	М	•	•			•	Requires some shade, preferably afternoon shade	More heat, drought tolerant cultivars: 'Merlot' (purple leaves), 'Oklahoma' (green leaves)
Fringetree, Chinese	Chionanthus retusus	•	F, P	D, M	М	•	•				Durable street tree in Columbia, Order single trunk trees	
Fringetree, American	Chionanthus virginicus	•	Р	D, M, W	S	•	•			•	Multi-stemmed trunk	
Dogwood, Flowering	Cornus florida	•	P, Sh	D, M	М	•	•	•		•	Susceptible to powdery mildew, leaf spot diseases	Must use disease resistant cultivars, including 'Appalachian Joy (white)', 'Cherokee Brave (pink)'
Dogwood, Kousa	Cornus kousa	•	Р	D, M	S	•	•	•			Greater drought tolerance than C. florida	Many cultivars
Dogwood, Cornelian-Cherry	Cornus mas	•	Р	D, M	S	•		•			Large suckering shrub or small multi- stemmed tree	
Smoketree, Common	Cotinus coggygria	•	F	D, M	S			•			Height 10' - 15'	Many cultivars
Smoketree, American	Cotinus obovatus	•	F, P	D, M	S			•				
Green Hawthorn	Crataegus viridis	•	F	D, M	S	•				•	Must use thornless, disease resistant cultivars. Species tolerates urban pollution, drought. Moist soils may trigger root suckering.	Cultivar 'Winter King' is thornless, more disease resistant
Loquat	Eriobotrya japonica	•	F,P	M	М	•	•		•		Labeled invasive in other countries	
Franklin Tree	Franklinia alatamaha	•	Р	D, M	S		•	•			Intolerant of drought, heavy clay soils	
Witchhazel, Common	Hamamelis virginiana	•	P, Sh	D, M, W	S		•	•		•	Flowers in winter, prefers consistently moist soil, Intolerant of drought	
Possumhaw	Ilex decidua	•	P,Sh	D, M, W	М	•				•	Height 7' - 15' in urban settings, can form suckering thicket, plant female trees with a male pollinator for berries	

Holly, Lusterleaf	llex latifolia	•	F, P, Sh	D, M	М	•			•		Female trees need male trees to produce berries, prefers afternoon shade	
Holly, Savannah	llex x attenuata 'Savannah'	•	F, P	D, M	F	•	+		•		Female trees need male trees to produce	
	Illano esta porta l'Espeta di		P	·	E E		-				berries	
Holly, Foster	Ilex x attenuata 'Fosteri'	•	Р	D, M	r	•			•			
Holly, Nellie R. Stevens	Ilex x Nellie R. Stevens	•	Р	D, M	F				•			
Magnolia, Star	Magnolia stellata	•	Р	D, M	S		•					
Magnolia, Saucer	Magnolia X soulangiana	•	Р	D, M	М	•	•				This tree grows well in yards in Columbia, best away from pavement	Several cultivars including: 'Rustica Rubra', 'Alexandrina'
Crabapple	Malus spp.	•	F	D, M	М	•	•					Must use disease resistant cultivars such as 'Adams', 'Prairifire', 'Purple Prince', 'Zumi Calocarpa'
Waxmyrtle, Southern	Myrica cerifera	•	F, P	D, M, W	F				•	•	Tends to sucker, form colonies	
Cherry Laurel, Carolina	Prunus caroliniana	•	P, Sh	D, M	F	•	•		•		Durable street tree in Columbia, Produces many seedlings	
Plum, Purple Leaf	Prunus cerasifera	•	F, P	D, M	М		•				Leaves stay purple in growing season	Fruitless cultivar 'Krauter Vesuvius'
Apricot, Japanese Flowering	Prunus mume	•	Р	D, M	М		•					
Cherry, Japanese Flowering	Prunus spp.	•	Р	D, M	М		•	•				Try Higan Cherry Prunus subhirtella, Yoshino Cherry Prunus x yedoensis
Oak, Ring Cupped (Blue Japanese Oak)	Quercus glauca	•	Р	D, M	S	•					May grow 40' tall, Need initial pruning to develop central leader	
Snowbell, Japanese	Styrax japonicus	•	Р	M, W	М		•				Intolerant of heat, drought	
Arborvitae	Thuja spp.	•	Р	D, M	М				•			Arborvitae has cultivars < 30'; 'Can Can', 'Pyramidalis' 'Emerald Green', more
Blackhaw Viburnum	Viburnum prunifolium	•	Р	D, M	S	•	•			•	Multi-stemmed shrub needing pruning to become small tree	
Chastetree	Vitex negundo	•	F	D, M	F		•				Multi-stemmed shrub or small multi- stemmed tree	